

PRODUCT USAGE REPORT for SECTION 09260 BSD

*Report Based on 13805 Projects
Active in Period 6/25/2006 to 6/25/2007*

BUILDING SYSTEMS DESIGN, INC.

3565 Piedmont Road, Suite 300
Atlanta, GA 30305

404-365-8900
www.bsdssoftlink.com

REPORT COLUMN KEY

SECT	CSI Number for specification section
ACRO	Acronym identifying section author or manufacturer
B	Indicates section or paragraph was authored by BSD
M	Indicates section or paragraph was authored for a manufacturer
U	Indicates section or paragraph was authored by a user
USES	Number of projects using this section, paragraph or manufacturer
DESCRIPTION	Section title, paragraph text, or manufacturer name

PRODUCT USAGE REPORT for SECTION 09260 BSD

Report Based on 13805 Projects
Active in Period 6/25/2006 to 6/25/2007

SECT	ACRO	B M U	USES	DESCRIPTION
09260	BSD	X	5601	Gypsum Board Assemblies
		X	2487	METAL FRAMING MATERIALS
		X	2010	Manufacturers - Metal Framing, Connectors, and Accessories:
		X	1786	Clark Steel Framing System <Choice 1>: www.clarksteel.com .
		X	1287	1 None - N/A
		X	3	1 Product
		X	107	1 Product _____
		X	1	1 Product Metal studs, channel and runners
		X	1966	Dietrich Metal Framin <Choice 1>: www.dietrichindustries.com .
		X	1	1 Product ST-Series and SLP-TRK
		X	4	1 Product UltraSTEEL
		X	1726	1 None - N/A
		X	1	1 Product Contour Track
		X	1	1 Product see section 09111
		X	1	1 Product SLP-TRK
		X	3	1 Product
		X	165	1 Product _____
		X	1	1 Product 20 ga
		X	1481	Marino-War <Choice 1>: www.marinoware.com .
		X	1315	1 None - N/A
		X	1	1 Product 25 Ga, size to suit
		X	1	1 Product see sectipm 09111
		X	1	1 Product wow
		X	2	1 Product
		X	126	1 Product _____
		X	1	1 Product 20 ga
		X	628	The Steel Network In <Choice 1>: www.SteelNetwork.com .
		X	2	1 Product
		X	86	1 Product _____
		X	525	1 None - N/A
		X	592	Telling Industrie <Choice 1>: www.tellingindustries.com .
		X	1	1 Product
		X	84	1 Product _____
X	488	1 None - N/A		
X	135	<Choice 1> <Choice 2>.		
X	3	1 Scafco		
X	1	1 Southeastern Stud and Components, Inc.		
X	2	1 United States Gypsum		
X	2	1 Or equal.		
X	1	1 Other equal products		
X	1	1 Scafco Corporation		
X	1	1 G-P Gypsum Corporation: www.gp.comgypsum .		
X	2	1 Inryco, Inc.		
X	2	1 Or approved equal		

PRODUCT USAGE REPORT for SECTION 09260 BSD (Contd)

Report Based on 13805 Projects
Active in Period 6/25/2006 to 6/25/2007

SECT	ACRO	B M U	USES	DESCRIPTION
		X	12	1 Delta Metal Products
		X	3	1 Dietrich Industries Inc.
		X	12	1 Fire Trak Corp: www.firetrack.com
		X	3	1 Consolidated Systems, Inc.
		X	2	1 Dale.Incor: www.daleincor.com
		X	1	1 Dale/Incor
		X	3	1 As approved by Architect
		X	1	1 CEMCO
		X	1	1 Chicago Metallic Co.
		X	22	1 _____
		X	7	1 Any current member of SSMA
		X	1	1 Approved equal
		X	2	1 USG Corporation
		X	10	1 USG
		X	20	2 Product _____
		X	1	2 Product Ceiling Framing System
		X	2	2 Product H-Studs
		X	72	2 None - N/A
		X	296	Non-Loadbearing Framing System Components: ASTM C 645; galvanized sheet steel, of size and properties necessary to comply with ASTM C 754 for the spacing indicated, with maximum deflection of wall framing of <Choice 1>.
		X	6	1 L/360 at 7.5 psf (360 Pa)
		X	6	1 L/240 at 7.5 psf (360 Pa)
		X	2	1 L/360 at 10 psf (480 Pa)
		X	9	1 L/360 at 5 psf (240 Pa)
		X	1	1 L/240 at 5 psf, except L/360 at 5 psf for framing walls finished with tile
		X	6	1 L/240 at 10 psf (480 Pa)
		X	230	1 L/240 at 5 psf (240 Pa)
		X	1	1 L/240 at 5 psf (240 Pa), except L/360 at 5 psf (240 Pa) for framing walls finished with plaster and tile
		X	1	1 L/240 at 5 psf, except L/360 at 5 psf for framed walls finished with tile
		X	1	1 L/240 at 5 psf, except L/360 at 5 psf for framing walls finished with plaster and tile
		X	288	Exception: The minimum metal thickness and section properties requirements of ASTM C 645 are waived provided steel of <Choice 1> minimum yield strength is used, the metal is continuously dimpled, the effective thickness is at least twice the base metal thickness, and maximum stud heights are determined by testing in accordance with ASTM E 72 using assemblies specified by ASTM C 754.
		X	277	1 40 ksi (275 MPa)
		X	290	Acceptable Products:
		X	296	Dietrich Metal Framing UltraSteel(tm): www.

PRODUCT USAGE REPORT for SECTION 09260 BSD (Contd)

Report Based on 13805 Projects
Active in Period 6/25/2006 to 6/25/2007

SECT	ACRO	B M U	USES	DESCRIPTION
		X	242	dietrichindustries.com. Clark Steel Framing UltraSteel(tm): www.clarksteel.com.
		X	1	Ceiling Channels: C shaped.
		X	5	Furring: Hat-shaped sections, minimum depth of <Choice 1>.
		X	5	1 7/8 inch (22 mm)
		X	16	Shaft Wall Studs and Accessories: ASTM C 645; galvanized sheet steel, of size and properties necessary to comply with ASTM C 754 <Choice 1>.
		X	15	1 and specified performance requirements
		X	1	1 None - N/A
		X	17	Acceptable Product: <Choice 1>.
		X	1	1 USG Shaftwall assemblies using CH framing profiles, or equal
		X	2	1 USG Shaftwall System
		X	10	1 _____
		X	2	1 CH or I studs manufactured by any manufacturer approved for gypsum board systems
		X	1	1 Compatible with the existing UL Assembly
		X	1	Partition Head to Structure Connections: Provide mechanical anchorage devices that accommodate deflection using slotted holes, screws and anti-friction bushings, preventing rotation of studs while maintaining structural performance of partition.
		X	3125	GYPSUM BOARD MATERIALS
		X	3137	Manufacturers:
		X	377	BPB America In <Choice 1>: www.bpb-na.com.
		X	4	1 Product PROROC and others
		X	286	1 None - N/A
		X	3	1 Product
		X	59	1 Product _____
		X	2986	G-P Gypsum Corporatio <Choice 1>: www.gp.com/gypsum.
		X	1	1 Product ToughRock
		X	2	1 Product Type X
		X	2600	1 None - N/A
		X	1	1 Product reference following list
		X	1	1 Product ToughRock 5/8" Fireguard Type X gypsum board
		X	25	1 Product TOUGHROCK, DENS, and others
		X	1	1 Product Fire rated gypsum board
		X	1	1 Product Fire resistive type 'X' gypsum board and DensShield Fireguard type 'X' tile backer
		X	3	1 Product GP Dens Armor / GP ToughRock Abuse Resistant Panels / ToughRock Type - X
		X	6	1 Product Dens-Glass Gold for exterior sheathing
		X	1	1 Product Dens-Glass Gold
		X	1	1 Product Densshield Tile Guard

PRODUCT USAGE REPORT for SECTION 09260 BSD (Contd)

Report Based on 13805 Projects
Active in Period 6/25/2006 to 6/25/2007

SECT	ACRO	B M U	USES	DESCRIPTION
		X	1	1 Product Dens-Glass for exterior sheathin5/8" ToughRock for interior walls: 5/8" dnes-Shield Tile Backer
		X	1	1 Product DensGlass Gold Exterior Sheathing; DensShield Tile Backer; DensArmor Plus Interior Drywall
		X	3	1 Product Dens-Glass Gold Exterior Sheathing
		X	5	1 Product Dens Armor Plus
		X	1	1 Product Dens Armour Plus
		X	3	1 Product DensArmor Plus
		X	237	1 Product _____
		X	1	1 Product 5/8" firecode and 1/2" wallboard
		X	1	1 Product 5/8" Type "X"
		X	5	1 Product _____
		X	2984	National Gypsum Compan <Choice 1>: www.nationalgypsum.com.
		X	2	1 Product Hi-Abuse XP
		X	2	1 Product Type X
		X	2626	1 None - N/A
		X	1	1 Product Gold Bond Highflex, Gold Gypsum Fire Shield Wall Board
		X	1	1 Product Gold Bond
		X	1	1 Product Gold-bond Fireshield type 'X' wallboard
		X	1	1 Product Gold Bond Brand Fire-Shield Wall Board and Gold Bond Brand MR Board
		X	1	1 Product Gold Bond Brand XP
		X	3	1 Product Gold Bond Gypsum Wallboard Panels / Gold Bond Hi-Impact Gypsum Wall Board / Gold Bond Fire -X Gypsum Wall Board
		X	1	1 Product 5/8" Type "X"
		X	1	1 Product Fire rated gypsum board
		X	25	1 Product GOLD BOND and others
		X	7	1 Product _____
		X	260	1 Product _____
		X	1	1 Product 5/8" firecode and 1/2" wallboard
		X	3070	US <Choice 1>: www.usg.com.
		X	2	1 Product Type X
		X	2663	1 None - N/A
		X	1	1 Product Type 'C' Gypsum Board & VH1 type at corridor walls
		X	1	1 Product Type 'C' Gypsum Board
		X	2	1 Product Type 'C' Gypsum Board_____
		X	25	1 Product SHEETROCK, FIBEROCK, and others
		X	1	1 Product Sheetrock
		X	3	1 Product Tablaroca
		X	3	1 Product Sheetrock Brand Humitek
		X	1	1 Product Sheetrock Brand
		X	3	1 Product Sheetrock Gypsum Panels / Fiberock

PRODUCT USAGE REPORT for SECTION 09260 BSD (Contd)

Report Based on 13805 Projects
Active in Period 6/25/2006 to 6/25/2007

SECT	ACRO	B M U	USES	DESCRIPTION
		X	2	Abuse Resistant Panels / Sheetrock Fire Code
		X	1	1 Product Gypsum Board Panels
				1 Product Sheetrock Brand Gypsum Panels, Firecode
				Core and Sheetrock Brand Gypsum Panels,
				Water Resistant
		X	2	1 Product Sheetrock brand gypsum panels
		X	1	1 Product Fiberock
		X	1	1 Product Fire rated gypsum board
		X	1	1 Product Fire resistive type 'X' gypsum board
		X	1	1 Product 5/8" Fiberock VHI Type X
		X	1	1 Product 5/8" Type "X"
		X	1	1 Product Fiberock, Aqua-Tough Brand Panels
		X	8	1 Product
		X	1	1 Product _
		X	286	1 Product _____
		X	149	<Choice 1> <Choice 2>.
		X	4	1 LaFarge
		X	2	1 Manufactures as listed in the UL assemblies in
				Appendix A
		X	1	1 Lafarge North America Inc: www.lafargenorthamerica.com
		X	1	1 USG
		X	1	1 Temple: www.temple.com
		X	1	1 Temple-Inland: www.temple.com
		X	1	1 Temple-Inland
		X	2	1 Lafarge Group Gypsum Division
		X	2	1 Or approved equal
		X	2	1 Or equal.
		X	1	1 Gold Bond
		X	1	1 James Hardie Corporation
		X	4	1 Lafarge America, Inc
		X	7	1 Domtar Gypsum
		X	3	1 Georgia Pacific Corp
		X	1	1 Gold Bond Building Products
		X	2	1 BPB America
		X	3	1 BPB Capaul
		X	3	1 BPB North Americal
		X	1	1 BP America
		X	1	1 BP Celotex
		X	1	1 BPB America, Inc: www.bpb-na.com
		X	21	1 _____
		X	1	1 Approved equal
		X	31	1 BDB America Inc.
		X	21	2 Product _____
		X	1	2 Product 5/8" Sheathing for exterior installations;
				Gold Bond MR at ceramic tile (wet) walls; 5/8" Sta-
				Smooth for typical interior partitions
		X	1	2 Product gypsum wallboard with < 90% recycled

PRODUCT USAGE REPORT for SECTION 09260 BSD (Contd)

Report Based on 13805 Projects
Active in Period 6/25/2006 to 6/25/2007

SECT	ACRO	B M U	USES	DESCRIPTION
		X	3	content 2 Product Pro Roc Gypsum Wall Board / ProRoc Abuse resistant Gypsum Wall Board / ProRoc Type X Gypsum Wall Board
		X	31	2 Product Shaftliner
		X	1	2 Product Sheetrock Brand Firecode Gypsum Panels: www.usg.com
		X	40	2 None - N/A
		X	12	Gypsum Wallboard: ASTM C 1396/C 1396M. Sizes to minimize joints in place; ends square cut.
		X	11	Abuse-Resistant Type: Gypsum wallboard especially formulated for increased impact resistance, with enhanced gypsum core and heavy duty face and back paper.
		X	8	Water-Resistant Gypsum Backing Board: ASTM C 1396/C 1396M; ends square cut.
		X	5	Exterior Gypsum Soffit Board: ASTM C 1396/C 1396M; sizes to minimize joints in place; ends square cut.
		X	9	Gypsum Shaftwall or Coreboard: ASTM C 1396/C 1396M; Type X core; sizes to minimize joints in place; <Choice 3> thick; <Choice 4> edges, ends square cut.
		X	4	3 1 inch (25 mm)
		X	4	4 double beveled
		X	4	4 square
		X	4	4 tongue and groove
		X	872	FIBERGLASS REINFORCED BOARD MATERIALS
		X	307	Cementitious Backer Board: ANSI A118.9, aggregated Portland cement panels with glass fiber mesh embedded in front and back surfaces, <Choice 1> thick.
		X	155	1 1/2 inch (13 mm)
		X	45	1 5/8 inch (____ mm)
		X	6	1 5/8 inch (16 mm)
		X	41	1 7/16 inch (____ mm)
		X	10	1 1/2 inch (____ mm)
		X	3	1 5/8" inch (____ mm)
		X	1	1 5/8 inch (mm)
		X	10	2 None - N/A
		X	41	2 Provide _____ manufactured by _____.
		X	1	2 Provide Durock manufactured by USG, or equal.
		X	304	Product: <Choice 1> manufactured by <Choice 2>.
		X	9	1 Util-A-Crete
		X	3	1 Wonderboard Multi-Board
		X	26	1 WonderBoard
		X	1	1 HardiBoard
		X	4	1 Perma Base
		X	1	1 Permabase
		X	1	1 HardiBacker

PRODUCT USAGE REPORT for SECTION 09260 BSD (Contd)

Report Based on 13805 Projects
Active in Period 6/25/2006 to 6/25/2007

SECT	ACRO	B M U	USES	DESCRIPTION
		X	1	1 Hardibacker Cement Board
		X	2	1 Hardibacker
		X	3	1 Dur-rock
		X	1	1 Fiberock Aqua Tuff
		X	1	1 Fiberock Aqua-Tough Interior Panels
		X	58	1 Durock
		X	8	1 DUROCK® Brand Cement Board
		X	2	1 Durorock Tile Backer Board
		X	3	1 Durock Brand Cement Board
		X	13	1 Durock Cement Board
		X	10	1 DUROCK Tile Backer Board
		X	6	1 Dur Rock
		X	3	1 Duraock
		X	3	1 Durock as
		X	11	1 Dens-Shield Fireguard, Type X
		X	1	1 DensShield
		X	2	1 Dens-Shield
		X	1	1 Basis of Design: Durock
		X	5	1 Dens Shield
		X	1	1 DenShield Tile Guard
		X	1	1 Aqua-Tough
		X	4	1 backer board
		X	3	1 Basis of design :Durock
		X	1	1 "Minerit LW"
		X	13	1 _____
		X	3	1 1/2" DensShield Tile Backer
		X	6	1 Durock Cement Board
		X	1	1 "Durock" cement board as
		X	5	1 "Durock"
		X	3	2 USG Industries, Inc.
		X	1	2 USG, or approved equal
		X	62	2 USG
		X	16	2 United States Gypsum Company
		X	11	2 United States Gypsum
		X	18	2 USG Corporation
		X	1	2 U.S. Gypsum
		X	11	2 United State Gypsum Co
		X	3	2 United State Gypsum Company
		X	1	2 James Hardie Building Products
		X	1	2 James Hardie
		X	5	2 National Gypsum
		X	4	2 Hardy
		X	1	2 James Hardi Building Products
		X	1	2 James Hardie Building Products, Inc
		X	4	2 G-P Gypsum
		X	2	2 GP
		X	1	2 Hardi Corporation
		X	1	2 Georgia-Pacific Corp

PRODUCT USAGE REPORT for SECTION 09260 BSD (Contd)

Report Based on 13805 Projects
Active in Period 6/25/2006 to 6/25/2007

SECT	ACRO	B M U	USES	DESCRIPTION
		X	11	2 Georgia-Pacific Corporation
		X	1	2 Georgia-Pacific
		X	29	2 Custom Building Products
		X	9	2 FinPan
		X	5	2 Georgia Pacific Corporation
		X	13	2 _____
		X	1	2 Alfacing International Limited
		X	1	2 CBF Cement Board Fabricators
		X	693	Glass Mat Gypsum Board: Gypsum panels with moisture-resistant core and coated inorganic fiberglass mat back surface designed to resist growth of mold and mildew, per ASTM D 3273.
		X	112	Paper-Faced Board: Comply with performance requirements of ASTM C 1396/C 1396M for gypsum wallboard and ASTM C 1177/C 1177M for sheathing; tapered long edges.
		X	27	1 Provide _____ manufactured by _____.
		X	116	Product: <Choice 1> manufactured by <Choice 2>.
		X	8	1 Sheetrock Brand HUMITEK
		X	1	1 sheetrock brand WK
		X	2	1 Dens-Glass Gold
		X	1	1 Dens-Glass or GlassRoc
		X	1	1 Dens-Shield
		X	1	1 Dens-Glas Gold Exterior Guard
		X	1	1 DensGlas
		X	2	1 DensGlass Gold Sheathing
		X	2	1 DensArmor
		X	1	1 DensDeck Prime Roof Guard
		X	36	1 Dens-Deck
		X	4	1 DensArmor Abuse Guard
		X	1	1 DensArmor Interior Guard
		X	12	1 DensArmor Plus
		X	2	1 Dens Glass Gold
		X	2	1 Dens Glass
		X	3	1 Dens Shield Tile Backer (Basis of Design)
		X	1	1 Dens Armour Plus
		X	1	1 Dens Deck
		X	1	1 Dens Glas Gold
		X	1	1 Dens Amror Plus
		X	1	1 Dens Armor Abuse Guard
		X	1	1 Dens Armor
		X	5	1 "Dens-GlassGold Sheathing
		X	15	1 _____
		X	2	1 DenArmor
		X	15	2 _____
		X	9	2 USG
		X	2	2 G-P Gypsum

PRODUCT USAGE REPORT for SECTION 09260 BSD (Contd)

Report Based on 13805 Projects
Active in Period 6/25/2006 to 6/25/2007

SECT	ACRO	B M U	USES	DESCRIPTION
		X	2	2 GP
		X	1	2 Owens Corning
		X	4	2 G-P Gypsum Corp
		X	6	2 G-P Gypsum Corporation
		X	1	2 G-P Gypsum or BPB
		X	16	2 Georgia-Pacific Corporation
		X	39	2 Georgia-Pacific
		X	1	2 Gerogia Pacific
		X	1	2 Dow
		X	3	2 Georgia Pacific or equal
		X	8	2 Georgia Pacific
		X	406	Glass Mat Board: Comply with performance requirements of ASTM C 1396/C 1396M for water-resistant gypsum backing board and ASTM C 1177/C 1177M for sheathing; tapered long edges.
		X	36	1 Provide _____ manufactured by _____.
		X	402	Product: <Choice 1> manufactured by <Choice 2>.
		X	1	1 Georgia Pacific
		X	1	1 Securock
		X	2	1 DensShield Tile Guard
		X	1	1 DensShield
		X	3	1 Dens-Shield
		X	4	1 Dens-Shield Tile Backer Board
		X	4	1 DensShield Tile Backer
		X	2	1 Dens-Shield tile Backer
		X	1	1 DensSheild Tile Backer
		X	1	1 Dens-Sheild
		X	4	1 DensShield Fireguard®
		X	3	1 Dens-Glass
		X	1	1 DensGuard Dens-Shield Tile Backer
		X	1	1 DenShield
		X	67	1 Dens-Glass Gold
		X	1	1 Dens-Glass; Dens-Shield
		X	3	1 DensGlass
		X	9	1 Dens-Glass Gold Sheathing
		X	1	1 Dens-Glass Gold, Fireguard
		X	65	1 DensGlass Gold
		X	1	1 DensGlass Gold Exterior Sheathing Panel
		X	12	1 DensGlass Gold Exterior Sheathing
		X	2	1 Densglass Gold or equal
		X	1	1 Densglas
		X	2	1 Dens-Glas
		X	9	1 DensGlass Gold Exterior Guard
		X	1	1 DenseGlas Gold
		X	3	1 DensGlas Gold
		X	14	1 Dens-Glas Gold
		X	1	1 Dens-Armour Smooth

PRODUCT USAGE REPORT for SECTION 09260 BSD (Contd)

Report Based on 13805 Projects
Active in Period 6/25/2006 to 6/25/2007

SECT	ACRO	B M U	USES	DESCRIPTION
		X	2	1 Densdeck
		X	1	1 Denseboard
		X	1	1 DensArmor Plus Interior Panels
		X	34	1 DensArmor Plus
		X	2	1 DensArmour Plus
		X	4	1 DensArmor Plus Fireguard Interior Panel
		X	2	1 DensArmor Plus Fireguard
		X	2	1 DensArmor Plus Interior Guard
		X	2	1 Dens Glass
		X	1	1 Dens Sheild
		X	1	1 Dens Shield
		X	1	1 'Dens Glass Gold Fireguard Exterior Guard'
		X	2	1 Dens Glass Gold Fireguard
		X	29	1 Dens Glass Gold
		X	12	1 Aqua Tough
		X	21	1 Dens Armor
		X	4	1 Dens Glas Gold
		X	5	1 "DensArmor Plus"
		X	17	1 _____
		X	2	1 1/2" DensGlass Gold Exterior Sheathing
		X	15	2 USG
		X	1	2 National Gypsum
		X	1	2 US Gypsum
		X	1	2 USG Corporation
		X	32	2 G-P Gypsum
		X	3	2 GP
		X	2	2 GP-Gypsum
		X	2	2 G-P Gypsum Products
		X	5	2 G-P Gypsum: www.gpgypsum.com
		X	1	2 GP Gypsum
		X	2	2 G-P Gypsum Corporation: www.gp.com
		X	1	2 G-P Gypsum Corporation: www.gp.com
		X	64	2 G-P Gypsum Corporation
		X	1	2 G-P Gypsum Corporation. www.gp.com/gypsum
		X	1	2 G-P Gypsum corporation.
		X	6	2 GP Gypsum Corporation: www.gp.com
		X	2	2 GP Gypsum Corp
		X	17	2 G-P Gypsum Corp
		X	1	2 G-P Gypsum Corporation. (See Mold/Mildew-Resistant Gypsum Wallboard above for non-glass mat products used in same application)
		X	3	2 G-P Gypsum a Georgia Pacific company
		X	1	2 G-P Gypsum Company
		X	8	2 G-P Gypsum Corp.
		X	48	2 Georgia-Pacific
		X	1	2 Georgoa Pacific
		X	1	2 Gold Bond
		X	1	2 Georgia-Pacific Corp

PRODUCT USAGE REPORT for SECTION 09260 BSD (Contd)

Report Based on 13805 Projects
Active in Period 6/25/2006 to 6/25/2007

SECT	ACRO	B M U	USES	DESCRIPTION
		X	17	2 Georgia-Pacific Corporation
		X	1	2 GeorgiaPacific
		X	76	2 Georgia Pacific
		X	9	2 Georgia Pacifica Corporation
		X	1	2 Georgia-Pacific Company
		X	4	2 Georgia Pacific Gypsum Corporation, (800) 876-4746. www.gp.com/gypsum
		X	1	2 Georgia Pacific Inc.
		X	1	2 Georgia Pacific: www.gp.com
		X	2	2 Georgia Pacific Corporation, (800) 876-4746. www.gp.com/gypsum
		X	2	2 Georgia Pacific Corporation
		X	1	2 Georgia Pacific GP-Gypsum
		X	1	2 Dens-Glass Gold Sheathing
		X	7	2 Georgia Pacific Company
		X	3	2 Georgia Pacific Corp
		X	19	2 _____
		X	329	Coated Glass Mat Backer Board: ASTM C 1178/C 1178M, with coated inorganic fiberglass mat on both surfaces and integral acrylic coating vapor retarder.
		X	65	1 Provide _____ manufactured by _____.
		X	12	1 Provide DensShield Tile Guard manufactured by G-P Gypsum Corporation.
		X	21	1 None - N/A
		X	302	Product: <Choice 1> manufactured by <Choice 2>.
		X	1	1 Tile Backer Coated
		X	1	1 Fireguard Type X
		X	1	1 Georgia Pacific
		X	2	1 Indicated on drawings as DensDeck Exterior Sheathing Panels
		X	35	1 DensShield
		X	39	1 Dens-Shield
		X	1	1 Fiberock Aqua-Tough Interior Panels
		X	7	1 Dens-Shield Tile Fireguard
		X	1	1 Dens-Shield Tile Guard (backer board)
		X	22	1 DensShield Tile Guard
		X	42	1 Dens-Shield Tile Backer Board
		X	28	1 DensShield Tile Backer
		X	12	1 Dens-Shield Tile Backer
		X	2	1 DensSheild Tile Guard
		X	1	1 DensShield Fireguard Type X Tile Backer
		X	1	1 DensShield Tile Backer Board
		X	1	1 Den-Shield
		X	1	1 DensiGlas
		X	1	1 DensSheild Tile Backer
		X	1	1 Densshield Tile Backer Board
		X	1	1 Densshield Tile Backer

PRODUCT USAGE REPORT for SECTION 09260 BSD (Contd)

Report Based on 13805 Projects
Active in Period 6/25/2006 to 6/25/2007

SECT	ACRO	B M U	USES	DESCRIPTION
		X	4	1 DenShield
		X	2	1 Dens-Glass Gold Sheathing
		X	3	1 DensGlass Gold
		X	3	1 Dens-Glass Gold
		X	1	1 Dens Gold
		X	4	1 Dens Shield Tile Backer
		X	6	1 Dens Shield
		X	3	1 Aqua-Tough
		X	3	1 Dens Gard
		X	1	1 Dens Glass Gold
		X	1	1 "DensShield" Tile Backer
		X	1	1 "DensShield"
		X	29	1 _____
		X	1	1 "Dens-Glass Cold Firequard"
		X	1	1 "DensGlass Gold Exterior Sheathing"
		X	21	1 "DensShield Tile Backer"
		X	29	2 _____
		X	2	2 Dens-Shield
		X	1	2 USG
		X	1	2 G-P
		X	1	2 G-P-Gypsum
		X	3	2 USG Company
		X	3	2 G-P Gypsum: www.gpgypsum.com
		X	45	2 G-P Gypsum
		X	1	2 GP
		X	14	2 G-P Gypsum Corp
		X	29	2 G-P Gypsum Corporation
		X	1	2 G-P Gypsum Products
		X	1	2 G-P Gypsum Corp (See Water And Mold/Mildew-Resistant Gypsum Wallboard above for non-glass mat products used in same application)
		X	4	2 G-P Gypsum Corp (USG Fiberock Aqua-Tough Gypsum Interior Panels may be used for this same application)
		X	1	2 G-P Gypsum Corp.
		X	3	2 G-P Gypsum a Georgia Pacific company
		X	2	2 G-P Gypsum a Georgia-Pacific company
		X	1	2 G-P Gypsum behind tile
		X	2	2 Georgia-Pacific Corp
		X	31	2 Georgia-Pacific Corporation
		X	25	2 Georgia-Pacific
		X	21	2 Georgia Pacific or accepted substitute
		X	1	2 Georgia Pacific; www.gp.com/build .
		X	51	2 Georgia Pacific
		X	3	2 Georgia Pacific Company
		X	5	2 Georgia Pacific Corp
		X	4	2 Georgia Pacific Corporation
		X	31	PREDECORATED GYPSUM BOARD

PRODUCT USAGE REPORT for SECTION 09260 BSD (Contd)

Report Based on 13805 Projects
Active in Period 6/25/2006 to 6/25/2007

SECT	ACRO	B M U	USES	DESCRIPTION
		X	29	Manufacturer: <Choice 1>.
		X	8	1 Glasbord by Crane, Kemlite
		X	1	1 National Gypsum Company: www.nationalgypsum.com.
		X	1	1 United States Gypsum Company
		X	16	1 _____
		X	2	1 Citadel Architectural Products: www.citadelap.com
		X	1	1 Citadel Architectural Products
		X	17	Other Acceptable Manufacturers:
		X	17	National Gypsum Company: www.nationalgypsum.com.
		X	18	USG: www.usg.com.
		X	15	<Choice 1>.
		X	14	1 _____
		X	1	1 Sheetrock Brand All Purpose Joint Compound Ready Mixed
		X	211	ACCESSORIES
		X	72	Acoustic Sealant: Non-hardening, non-skinning, for use in conjunction with gypsum board.
		X	1	1 Provide "Acoustical Sealant" manufactured by Tremco, tremcosealants.com .
		X	8	1 Provide _____ manufactured by _____.
		X	69	Product: <Choice 1> manufactured by <Choice 2>.
		X	1	1 Tremco Acoustical Sealant
		X	1	1 USG Acoustic sealant or similar non-hardening synthetic acoustical sealant.
		X	8	1 Sheetrock Acoustical Sealant
		X	1	1 Sheetrock Brand
		X	2	1 Thermafiber SAFB
		X	12	1 Acoustical Sealant
		X	5	1 Latex
		X	1	1 Protective Treatments, Inc.
		X	1	1 834
		X	1	1 AC-20 FTR Acoustical and Insulation Sealant
		X	2	1 AC20 FTR for fire rated walls
		X	1	1 "Flexible Synthetic Rubber Sealant"
		X	1	1 "Sheetrock Acoustical Sealant"
		X	30	1 _____
		X	31	2 _____
		X	16	2 USG
		X	1	2 United States Gypsum Company
		X	1	2 United States Gypsum
		X	7	2 USG or approved equal
		X	1	2 PTI 808 Acoustical Sealant
		X	1	2 Tremco, Inc. or approved equal
		X	4	2 Tremco
		X	2	2 CertainTeed
		X	1	2 Pecora Corp.

PRODUCT USAGE REPORT for SECTION 09260 BSD (Contd)

Report Based on 13805 Projects
Active in Period 6/25/2006 to 6/25/2007

SECT	ACRO	B M U	USES	DESCRIPTION
		X	2	2 Pecora or equal
		X	5	Finishing Accessories: ASTM C 1047, <Choice 1>, unless otherwise indicated.
		X	5	1 galvanized steel
		X	5	1 rolled zinc
		X	5	Special Shapes: In addition to conventional cornerbead and control joints, provide <Choice 1> at exposed panel edges.
		X	103	High Build Drywall Surfer: Vinyl acrylic latex-based coating for spray application, designed to take the place of skim coating and separate paint primer in achieving Level 5 finish.
		X	18	1 None - N/A
		X	16	1 Provide _____ manufactured by _____
		X	6	1 Provide Tuff Hide Primer - Surfer manufactured by USG.
		X	81	Product: <Choice 1> manufactured by <Choice 2>.
		X	2	1 USG
		X	3	1 Tuff-Hide Primer Surfer
		X	1	1 Tuff-Hide Primer -Surfer
		X	8	1 Tuff-Hide
		X	2	1 ProForm
		X	1	1 Proform
		X	1	1 SonaSpray "fc"
		X	1	1 Level Coat
		X	7	1 Primer-Surfer
		X	1	1 ProForm Surfer/Primer
		X	1	1 "Sheetrock" Primer-Surfer
		X	23	1 _____
		X	1	1 Acrylitex
		X	2	1 "Sheetrock" Brand Primer-Surfer, "Tuff-Hide"
		X	1	1 "Sheetrock" Brand Primer-Surfer, "Tuff-Hide"
		X	1	1 "Sheetrock" Brand Primer-Surfer
		X	23	2 _____
		X	2	2 First Coat
		X	1	2 USG Corporation
		X	15	2 USG
		X	2	2 United States Gypsum
		X	2	2 USG Abuse-Resistant Systems
		X	1	2 USG Corporation: www.usg.com
		X	3	2 National Gypsum Company
		X	1	2 National Gypsum
		X	3	2 United States Gypsum Company
		X	1	2 Grabber Construction Products: www.acrylitex
		X	1	2 International Cellulose Corporation www.spray-on.com
		X	1	2 Magnum Products: www.levelcoat.com
		X	45	Textured Finish Materials: <Choice 1> compound; <Choice 2>.

PRODUCT USAGE REPORT for SECTION 09260 BSD (Contd)

Report Based on 13805 Projects
Active in Period 6/25/2006 to 6/25/2007

SECT	ACRO	B M U	USES	DESCRIPTION
		X	45	Textured Finish Materials: <Choice 1> compound; <Choice 2>.
		X	42	1 Latex-based
		X	2	1 Vinyl-based
		X	2	2 containing shredded polystyrene_
		X	2	2 non aggregated as listed below
		X	7	2 containing fine aggregate
		X	33	2 plain
		X	3	3 Provide _____ manufactured by _____.
		X	2	3 Provide QT medium texture finish manufactured by US Gypsum.
		X	48	Product: <Choice 1> manufactured by <Choice 2>.
		X	3	1 Sheetrock Wall and Ceiling Spray Texture
		X	1	1 Spray Texture Finish
		X	1	1 Stardust Prefix #5-26-OU Outer Banks
		X	2	1 Sheetrock Brand Wall and Ceiling Texture
		X	1	1 Sheetrock Ceiling Texture Paint
		X	1	1 Sheetrock Unaggregated Wall and Ceiling Texture, Orange Peel Texture
		X	1	1 ProForm Perfect Spray EM
		X	1	1 Ready-Mis Texture
		X	1	1 Sheetrock Brand Wall and Ceiling Spray Textures (Unaggregated)
		X	1	1 Perfect Spray EM - Spatter Finish
		X	1	1 Perfect Spray EM - Spatter Finish
		X	2	1 Perfect spray, texture medium
		X	18	1 _____
		X	1	1 Duroplex
		X	3	1 multi-purpose, pre-packaged, non-asbestos type
		X	3	2 United States Gypsum Co.
		X	1	2 USG Corporation
		X	7	2 USG
		X	1	2 Triarch, 800-537-6111, www.triarchinc.com
		X	1	2 TWI Products for Orange Peel Textures
		X	1	2 U.S. Gypsum
		X	18	2 _____
		X	1	2 Genon
		X	5	2 National Gypsum Company
		X	0	MANUFACTURER REFERENCES CREATED BY USER
		X	12	<Choice 1> <Choice 2>.
		X	2	<Choice 1> <Choice 2>. www.flexc.com.
		X	1	<Choice 1> <Choice 2>: www.bpb-na.com.
		X	3	<Choice 1> <Choice 2>: www.nationalgypsum.com
		X	2	<Choice 1> manufactured by <Choice 2>.
		X	21	<Choice 1>: www.bpb-na.com.
		X	1	<Choice 1>: www.firetrak.co <Choice 2>.
		X	16	<Choice 1>: www.scafco.com
		X	7	Allied Studco: www.studco.com

PRODUCT USAGE REPORT for SECTION 09260 BSD (Contd)

Report Based on 13805 Projects
Active in Period 6/25/2006 to 6/25/2007

SECT	ACRO	B M U	USES	DESCRIPTION
		X	2	Application: Vertical surfaces behind thinset tile in wet areas.
		X	2	Armstrong <Choice 1>: www.Armstrong.com.
		X	2	Armstrong World Industries, In <Choice 1>: www.armstrong.com.
		X	2	Armstrong World Industries, Inc.
		X	10	Armstrong World Industries: www.ceilings.com.
		X	1	BP <Choice 1>: www.bpb-na.com.
		X	1	BPB America In <Choice 1>: www.bpb-na.com.
		X	11	BPB Celote <Choice 1>: www.bpb-celotex.com.
		X	2	CertainTeed Corporation: www.certainteed.com.
		X	2	Chicago Metallic Corp.
		X	2	Chicago Metallic Corporatio <Choice 1>: www.chicagometallic.com.
		X	2	Chicago Metallic Corporation <Choice 1>: www.chicagometallic.com.
		X	10	Chicago Metallic Corporation: www.chicagometallic.com.
		X	5	Clark Steel Framing System <Choice 1>.
		X	15	Clark Steel Framing System <Choice 1>: (513) 539-2900; www.clarksteel.com.
		X	184	Clark Steel Framing System <Choice 1>: www.clarksteel.com.
		X	1	Clark Steel Framing System <Choice 1>: www.clarksteel.com.
		X	1	Dale Industries, Inc <Choice 1>
		X	2	Dale Industries, Inc.
		X	9	Dale/Inco <Choice 1>.
		X	2	Dale/Inco <Choice 1>:
		X	15	Dale/Inco <Choice 1>: (800) 882-7883; www.daleincor.com.
		X	532	Dale/Inco <Choice 1>: www.daleincor.com.
		X	5	Dale/Inco <Choice 1>: www.daleincor.com.
		X	17	Dale/Incor: www.daleincor.com.
		X	33	Dietrich Metal Framin <Choice 1>: www.dietrichindustries.com.
		X	1	Dietrich Metal Framing, In <Choice 1>: www.dietrichindustries.com.
		X	5	Dietrich Metal Framing, Inc <Choice 1>.
		X	181	Dietrich Metal Framing, Inc <Choice 1>: www.dietrichindustries.com.
		X	5	Dietrich Metal Framing, Inc. <Choice 1>.
		X	15	Dietrich Metal Framing, Inc. <Choice 1>: (412) 281-2805; www.dietrichindustries.com.
		X	17	Dietrich Metal Framing: www.dietrichindustries.com.
		X	4	Domtar Gypsu <Choice 1>
		X	2	E. I. du Pont de Nemours and Compan <Choice 1>: www.tyvek.com.

PRODUCT USAGE REPORT for SECTION 09260 BSD (Contd)

Report Based on 13805 Projects
Active in Period 6/25/2006 to 6/25/2007

SECT	ACRO	B M U	USES	DESCRIPTION
		X	1	Fry Reglet Corp: www.fryreglet.com.
		X	1	Fry Reglet Corporation: www.fryreglet.com.
		X	5	Genstar Gypsum Products C <Choice 1>.
		X	4	Georgia Pacifi <Choice 1>
		X	7	Georgia Pacific Gypsum Corporatio <Choice 1>: www. gp.com.
		X	1	Georgia-Pacific Gypsum Cor <Choice 1>.
		X	1	Gold Bond Building Products Div., National Gypsum C <Choice 1>.
		X	1	Gordon, Inc.: www.gordongrid.com.
		X	1	Gordon: www.gordongrid.com.
		X	7	G-P Gypsum Cor <Choice 1>
		X	187	G-P Gypsum Cor <Choice 1>.
		X	1	G-P Gypsum Cor <Choice 1>:www.gp.com.
		X	1	G-P Gypsum Corp.
		X	3	G-P Gypsum Corp., Atlanta, GA 3030 <Choice 1>.
		X	12	G-P Gypsum Corporatio <Choice 1>.
		X	1	G-P Gypsum Corporatio <Choice 1>:
		X	15	G-P Gypsum Corporatio <Choice 1>: (800) 284-5347; www.gp.com.
		X	2	G-P Gypsum Corporatio <Choice 1>: www.gp.com
		X	353	G-P Gypsum Corporatio <Choice 1>: www.gp.com.
		X	5	G-P Gypsum Corporatio <Choice 1>: www.gp. com/gypsum.
		X	2	G-P Gypsum Corporation <Choice 1>.
		X	1	G-P Gypsum Corporation: C-T studs and J tracks.
		X	1	G-P Gypsum Corporation: Dens Armor Plus Fireguard.
		X	1	G-P Gypsum Corporation: DensShield Tile Guard.
		X	2	G-P Gypsum Corporation: ToughRock Fireguard Moisture-Guard Gypsum Board.
		X	3	Grace Construction Products: www.graceconstruction. com.
		X	3	Intex Forms, In <Choice 1>: www.intexforms.com.
		X	2	Johns Manville Corporation: www.jm.com.
		X	11	Johns Manville: www.specjm.com.
		X	2	Kendall Co.
		X	2	Kendall Company.
		X	4	Knor <Choice 1>:
		X	17	Lafarge Gypsu <Choice 1>: www.lafargecorp.com.
		X	21	Lafarge North Americ <Choice 1>: www. lafargenorthamerica.com.
		X	17	Marino www.marinoware.com.
		X	2	Marino/Ware.
		X	15	Marino-War <Choice 1>: (800) 627-4661; www. marinoware.com.
		X	163	Marino-War <Choice 1>: www.marinoware.com.
		X	5	Metal-Lite, In <Choice 2>: www.metal-lite.net.
		X	2	Miracle Adhesives Corp.

PRODUCT USAGE REPORT for SECTION 09260 BSD (Contd)

Report Based on 13805 Projects
Active in Period 6/25/2006 to 6/25/2007

SECT	ACRO	B M U	USES	DESCRIPTION
		X	16	Miracle Adhesives Corporation.
		X	1	MM Systems Corporation: www.mmsystemscorp.com .
		X	200	National Gypsum C <Choice 1>.
		X	2	National Gypsum C <Choice 1>. www.nationalgypsum.com 210.415.7926 or 940.269.3086
		X	1	National Gypsum C <Choice 1> www.nationalgypsum.com .
		X	1	National Gypsum Co.
		X	2	National Gypsum Co., Charlotte, NC 2821 <Choice 1>.
		X	13	National Gypsum Compan <Choice 1>.
		X	4	National Gypsum Compan <Choice 1>:
		X	15	National Gypsum Compan <Choice 1>: (800) 628-4662; www.nationalgypsum.com .
		X	2	National Gypsum Compan <Choice 1>: www.nationalgypsum.com
		X	335	National Gypsum Compan <Choice 1>: www.nationalgypsum.com .
		X	2	National Gypsum Company / Gold Bon <Choice 1>: www.nationalgypsum.com .
		X	1	National Gypsum Company: Hi Impact XP.
		X	2	National Gypsum Company: Hi-Impact Brand XP Wallboard.
		X	1	National Gypsum Company: I studs and J tracks.
		X	3	National Gypsum Company: Proform Brand Surfacer/Primer.
		X	15	National Gypsum Company; Proform Brand Surfacer/Primer.
		X	2	Owens Corning Corp: www.owenscorning.com .
		X	7	Pabco Gypsum: www.pabco gypsum.com .
		X	7	Pecora Corporatio <Choice 1>: www.pecora.com .
		X	1	Pittcon Industries: www.pittconindustries.com .
		X	3	Plastrglas, In <Choice 1>: www.plastrglas.com .
		X	1	Polyguard Products, Inc.: www.polyguardproducts.com .
		X	14	Product:
		X	4	Product: Dens-Glass Ultra Shaftliner by G-P Gypsum Corporation: www.gp.com .
		X	4	Product: Sheetrock Gypsum Liner Panels - Enhanced by USG Corporation: www.usg.com .
		X	17	Product: <Choice 1> manufactured by <Choice 2>.
		X	162	Product: <Choice 1> manufactured by <Choice 2>.
		X	5	Product: <Choice 1> manufactured by <Choice 2>. www.fryreglet.com
		X	2	Product: <Choice 1> manufactured by <Choice 2>. www.hardibacker.com
		X	2	Provide Flex-C Trac manufactured by Flex-Ability Concepts (www.flexc.com).
		X	1	Same manufacturer as framing or equal.
		X	495	Same manufacturer as framing.
		X	7	Scafco Corporation: www.scafco.com .

PRODUCT USAGE REPORT for SECTION 09260 BSD (Contd)

Report Based on 13805 Projects
Active in Period 6/25/2006 to 6/25/2007

SECT	ACRO	B M U	USES	DESCRIPTION
		X	2	SCAFCO Corporation; Spokane, W <Choice 1>:
		X	1	Shaft Wall Studs and Accessories <Choice 1> <Choice 2 <Choice 3>.
		X	1	Shaft Wall Studs and Accessories.
		X	1	Shaft Wall Studs and Accessories: ASTM C 645; galvanized sheet steel, of size and properties necessary to comply with ASTM C 754 <Choice 1>
		X	1	Shaft Wall Studs and Accessories: ASTM C 645; galvanized sheet steel, of size and properties necessary to comply with ASTM C 754 <Choice 1>.
		X	108	Shaft Wall Studs and Accessories: ASTM C 645; galvanized sheet steel, of size and properties necessary to comply with ASTM C 754 <Choice 1>. <Choice 2>
		X	1	Shaft Wall Studs and Accessories: Manufacturer's standard Z-shaped furring members with slotted or nonslotted web, fabricated from steel sheet complying with ASTM A653 (ASTM A653M) or ASTM A 568
		X	3	Shaft Wall Studs and Accessories: <Choice 1> ASTM C 645, of pro
		X	1	Shaft Wall Studs and Accessories: <Choice 1> ASTM C 645, of profile, size, and base metal thickness required to produce assemblies complying with Part
		X	1	Shaft Wall Studs and Accessories: <Choice 1> <Choice 3>
		X	1	Shaft Wall Studs and Accessories: <Choice 1>; <Choice 2> manufactured by <Choice 3>
		X	1	Shaft Wall Studs and Accessories: <Choice 1>; <Choice 2> manufactured by <Choice 3>.
		X	1	Shaft Wall Studs and Accessories: As specified in Section 09111. <Choice 1>. <Choice 2>
		X	1	Shaft Wall Studs and Accessories: As standard with manufacturer for gypsum board shaft-wall assemblies indicated.
		X	1	Shaft Wall Studs and Accessories: ASTM C 645; galvanized sheet steel, of size and properties necessary to comply with ASTM C 754 <Choice 1>.
		X	2	Shaft Wall Studs: <Choice 1>; <Choice 2> manufactured by <Choice 3>.
		X	3	Stromberg Architectural Products, In <Choice 1>: www.strombergarchitectural.com.
		X	2	Substitutions: See Section 01100 - Alternatives
		X	1	Telling Industrie <Choice 1>: www.tellingindustries.com.
		X	159	The Steel Network Inc: www.SteelNetwork.com.
		X	12	Thermafiber, Inc.: www.thermafiber.com.
		X	5	Trakloc International: www.trakloc.com.
		X	7	Tremco, In <Choice 1>: www.tremcosealants.com.
		X	2	Unimast Inc.
		X	1	United States Gypsum C <Choice 1> (and Abuse

PRODUCT USAGE REPORT for SECTION 09260 BSD (Contd)

Report Based on 13805 Projects
Active in Period 6/25/2006 to 6/25/2007

SECT	ACRO	B M U	USES	DESCRIPTION
				resistant if shown on the drawings) as required and as shown on the drawings.
		X	2	United States Gypsum C <Choice 1> and Abuse resistant as required and as shown on the drawings.
		X	2	United States Gypsum C <Choice 1> as required and as shown on the drawings.
		X	205	United States Gypsum C <Choice 1>.
		X	1	United States Gypsum C <Choice 1>www.usg.com.
		X	7	United States Gypsum Co <Choice 1>: www.usg.com.
		X	3	United States Gypsum Co.
		X	2	United States Gypsum Co., Chicago, IL 6060 <Choice 1>
				.
		X	1	United States Gypsum CoArchitect.
		X	1	United States Gypsum Company: Fiberock Aqua-Tough Interior Panels.
		X	3	United States Gypsum Company: Sheetrock Brand Primer-Surfacer, Tuff-Hide.
		X	9	US <Choice 1>: www.usg.com.
		X	11	USG Corporatio <Choice 1>.
		X	4	USG Corporatio <Choice 1>:
		X	15	USG Corporatio <Choice 1>: (800) 874-4968; www.usg.com.
		X	2	USG Corporatio <Choice 1>: www.usg.com
		X	349	USG Corporatio <Choice 1>: www.usg.com.
		X	1	USG Corporation: C-H studs, E studs and J runners.
		X	2	USG Corporation: Fiberock Brand Aqua-Tough Interior Panels.
		X	1	USG Corporation: Fiberock Panels - VHI Abuse-Resistant.
		X	26	USG Corporation: www.usg.com.
		X	15	USG Corporation; Sheetrock Brand Primer-Surfacer, Tuff-Hide.
		X	2	USG Drywall Suspension Syste <Choice 1>: www.usg.com.
		X	2	USG Interiors, Inc.
		X	2	W.R. Grace & Co.
		X	18	W.W. Henry Company.
		X	2	Within dwelling units: <Choice 1> manufactured by <Choice 2>.